3816 366 2 41	CCLS.) or ((359/30).CCLS.) or ((359/558).CCLS.) or ((359/566).CCLS.) or ((359/569).CCLS.) or ((359/573).CCLS.) or ((359/575).CCLS.)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB US-PGPUB; USPAT; EPO; JPO; DERWENT; EPO; JPO; DERWENT	OR OR OR	ON OFF	2006/01/27 10:14 2006/01/27 12:57 2006/01/27 10:57
41	or ((diffract\$ or phase) near4 grating) or (grating near4 (light?valve or (light near3 valve)))) and (pinhole or (pin near3 hole) or aperture or mask\$3 or block\$3 or slit or iris or diaphragm) ("5986781").PN. 1 and (hologra\$ near4 (writ\$3 or record\$3 or stor\$3 or memor\$)) and ((pinhole or (pin near3 hole) or aperture or mask\$3 or block\$3 or slit or	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB US-PGPUB; USPAT; EPO; JPO;	OR	OFF	12:57 2006/01/27 10:57
41	or ((diffract\$ or phase) near4 grating) or (grating near4 (light?valve or (light near3 valve)))) and (pinhole or (pin near3 hole) or aperture or mask\$3 or block\$3 or slit or iris or diaphragm) ("5986781").PN. 1 and (hologra\$ near4 (writ\$3 or record\$3 or stor\$3 or memor\$)) and ((pinhole or (pin near3 hole) or aperture or mask\$3 or block\$3 or slit or	USPAT; EPO; JPO; DERWENT; IBM_TDB US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB US-PGPUB; USPAT; EPO; JPO;	OR	OFF	12:57 2006/01/27 10:57
41	1 and (hologra\$ near4 (writ\$3 or record\$3 or stor\$3 or memor\$)) and ((pinhole or (pin near3 hole) or aperture or mask\$3 or block\$3 or slit or	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB US-PGPUB; USPAT; EPO; JPO;			10:57
41	1 and (hologra\$ near4 (writ\$3 or record\$3 or stor\$3 or memor\$)) and ((pinhole or (pin near3 hole) or aperture or mask\$3 or block\$3 or slit or	USPAT; EPO; JPO; DERWENT; ; IBM_TDB US-PGPUB; USPAT; EPO; JPO;			10:57
	((pinhole or (pin near3 hole) or aperture or mask\$3 or block\$3 or slit or	US-PGPUB; USPAT; EPO; JPO;	OR	ON	2006/01/27
	((pinhole or (pin near3 hole) or aperture or mask\$3 or block\$3 or slit or	USPAT; EPO; JPO;	OR	ON	2006/01/27
96		١.	}		12:02
96		IBM_TDB			
	1 and (hologra\$ near4 (writ\$3 or record\$3 or stor\$3 or memor\$)) and ((pinhole or (pin near3 hole) or aperture or mask\$3 or block\$3 or slit or iris or diaphragm) with (zero\$3 or first\$2) with order\$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2006/01/27 11:53
		IBM_TDB			
250	(hologra\$ near4 (writ\$3 or record\$3 or stor\$3 or memor\$)) and ((pinhole or (pin near3 hole) or aperture or mask\$3 or block\$3 or slit or iris or diaphragm) with (second\$5 or third\$2) with order\$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2006/01/27 13:08
	·	; IBM_TDB			
118	1 and (hologra\$ near4 (writ\$3 or record\$3 or stor\$3 or memor\$)) and (glv or ((diffract\$ or phase) near4 grating) or (grating near4 (light?valve or (light near3 valve)))) and ((pinhole or (pin near3 hole) or pin?hole or aperture or mask\$3 or block\$3 or slit or iris or diaphragm) with order\$4)	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2006/01/27 12:23
		IBM_TDB			
102	(359/21).ccLs.	US-PGPUB; USPAT; EPO; JPO; DERWENT :	OR	OFF	2006/01/27 12:40
ĺ		IBW_TDB			
5	("3630593" "3677634" "5615022" "6043913" "6606432").PN.	US-PGPUB; USPAT; USOCR	OR	ON	2006/01/27 12:27
882	(hologra\$ with (glv or ((diffract\$ or phase) near4 grating) or (grating near4 (light?valve or (light near3 valve))))) and ((pinhole or (pin near3 hole) or aperture or mask\$3 or block\$3 or slit or iris or diaphragm) with order\$4)	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2006/01/27 12:51
		; IBM_TDB			
ĺ	(hologra\$ with (glv or (grating near4 (light?valve or (light near3 valve))))) and ((pinhole or (pin near3 hole) or aperture or mask\$3 or block\$3 or slit or iris or diaphragm) with order\$4)	US-PGPUB; USPAT; EPO: JPO; DERWENT	OR	ON	2006/01/27 12:52
	118 102 5 882	iris or diaphragm) with (zero\$3 or first\$2) with order\$3) (hologra\$ near4 (writ\$3 or record\$3 or stor\$3 or memor\$)) and ((pinhole or (pin near3 hole) or aperture or mask\$3 or block\$3 or slit or iris or diaphragm) with (second\$5 or third\$2) with order\$3) 1and (hologra\$ near4 (writ\$3 or record\$3 or stor\$3 or memor\$)) and (glv or ((diffract\$ or phase) near4 grating) or (grating near4 (light?valve or (light near3 valve)))) and ((pinhole or (pin near3 hole) or pin?hole or aperture or mask\$3 or block\$3 or slit or iris or diaphragm) with order\$4) (359/21).ccl.5. ("3630593" "3677634" "5615022" "6043913" "6606432").PN. (hologra\$ with (glv or ((diffract\$ or phase) near4 grating) or (grating near4 (light?valve or (light near3 valve))))) and ((pinhole or (pin near3 hole) or aperture or mask\$3 or block\$3 or slit or iris or diaphragm) with order\$4) (hologra\$ with (glv or (grating near4 (light?valve or (light near3 valve))))) and ((pinhole or (pin near3 hole) or aperture or mask\$3 or block\$3 or slit	iris or diaphragm) with (zero\$3 or first\$2) with order\$3) EPO: JPO: DERWENT: IBM_TDB US-P6PUB: USPAT: EPO: JPO: DERWENT 118	iris or diaphragm) with (zero\$3 or first\$2) with order\$3) EPO: JPO: DERWENT: : IBM_TDB (hologra\$ near4 (writ\$3 or record\$3 or stor\$3 or memor\$)) and ((pinhole or (pin near3 hole) or aperture or mask\$3 or block\$3 or slit or iris or diaphragm) with (second\$5 or third\$2) with order\$3) 118 1 and (hologra\$ near4 (writ\$3 or record\$3 or stor\$3 or memor\$)) and (glv or ((diffract\$ or phase) near4 grating) or (grating near4 (light?valve or (light near3 valve)))) and ((pinhole or (pin near3 hole) or pin?hole or aperture or mask\$3 or block\$3 or slit or iris or diaphragm) with order\$4) 102 (359/21).CCLS. US-PGPUB;	iris or diaphragm) with (zero\$3 or first\$2) with order\$3) 250 (hologra\$ near4 (writ\$3 or record\$3 or stor\$3 or memor\$)) and ((pinhole or (pin near3 hole) or aperture or mask\$3 or block\$3 or slit or iris or diaphragm) with (second\$5 or third\$2) with order\$3) 118 1 and (hologra\$ near4 (writ\$3 or record\$3 or stor\$3 or memor\$)) and (glv or ((diffract\$ or phase) near4 grating) or (grating near4 (light?valve or (light near3 valve)))) and ((pinhole or (pin near3 hole) or pin?hole or aperture or mask\$3 or block\$3 or slit or iris or diaphragm) with order\$4) 1102 (359/21).CCL5. 12 1

			Luc nonun	l on	Tau	2007 101 107
L12	15	(hologra\$ with (glv or (grating near4 (light?valve or (light near3 valve)))))	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR .	ON	2006/01/27 12:52
			IBM_TDB			
L13	56	(hologra\$ and (glv or ((diffract\$ or phase) near4 (grating or element)) or (grating near4 (light?valve or (light near3 valve)))) and ((pinhole or (pin near3 hole) or aperture or mask\$3 or block\$3 or slit or iris or diaphragm) with order\$4)).clm.	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2006/01/27 13:03
			IBM_TDB			
L14	41	(hologra\$ and (glv or ((diffract\$ or phase) near4 (grating or element)) or (grating near4 (light?valve or (light near3 valve)))) and ((pinhole or (pin near3 hole) or aperture or mask\$3 or block\$3 or slit or iris or diaphragm) with component\$)).clm.	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2006/01/27 13:04
			IBM_TDB			
L15	129	(hologra\$ near4 (writ\$3 or record\$3 or stor\$3 or memor\$)) and ((pinhole or (pin near3 hole) or pin?hole or aperture or mask\$3 or block\$3 or slit or iris or diaphragm) with third\$2 with (order\$3 or component\$)) and (second\$4 with (order\$3 or component\$))	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2006/01/27 13:10
			IBM_TDB			
51	516	((grating near4 light near4 valve) or glv) same (imag\$3 or display)	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2004/08/04 08:24
			IBM_TDB			
52	200	((grating near4 light near4 valve) or glv) same (slm or (spatial with light with modulat\$))	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2004/08/04 08:39
			IBM_TDB	·		
53	2	("5,311,360").PN.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	OFF	2004/08/04 08:29
			IBM_TDB			
54	45	S2 and hologra\$	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2004/08/04 08:29
			IBM_TDB			
S5	70	((grating near4 light near4 valve) or glv) and (slm or (spatial with light with modulat\$)) and hologra\$	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2004/08/04 08:39
			IBM_TDB			
56	2	("6163391").PN.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT ;	OR	OFF	2004/08/04 09:49
			IBW_LDB			

57	1104	(hologra\$ near4 (writ\$3 or record\$3 or stor\$3)) and phase and (fourier)	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2004/08/04 09:55
58	39	S7 and curtis.in.	; IBM_TDB US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2004/08/04 09:56
59	. 7	57 and king.in.	; IBM_TDB US-PGPUB; USPAT; EPO; JPO;	OR	ON	2004/08/04 09:57
510	2	("5311360").PN.	DERWENT; IBM_TDB US-PGPUB; USPAT; USOCR; EPO; JPO;	OR	OFF	2004/08/02 17:54
511	279	(359/35).CCLS.	DERWENT; IBM_TDB US-PGPUB; USPAT; USOCR; EPO; JPO;	OR	OFF	2004/08/03 09:29
512	530	(359/1). <i>CC</i> LS.	DERWENT; IBM_TDB US-PGPUB; USPAT; USOCR; EPO; JPO;	OR	OFF	2004/08/03 09:29
513	176	(359/28).CCLS.	DERWENT; IBM_TDB US-PGPUB; USPAT; USOCR; EPO; JPO;	OR	OFF	2004/08/03 09:29
514	285	(359/29). <i>CC</i> LS.	DERWENT; IBM_TDB US-PGPUB; USPAT; USOCR; EPO; JPO;	OR	OFF	2004/08/03 09:29
S15	269	(359/30). <i>CC</i> LS.	DERWENT; IBM_TDB US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	OFF	2004/08/03 09:29
			; IBM_TDB			

			7			
516	322	(359/558). <i>cc</i> L5.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	OFF	2004/08/03 09:29
			IBM_TDB			
517	894	(359/566).ccLs.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	OFF	2004/08/03 09:29
			; IBM_TDB			
518	666	(359/569).CCL5.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	OFF	2004/08/03 09:29
			; IBM_TDB			
519	326	(359/572).CCLS.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR -	OFF	2004/08/03 09:29
			IBW_TDB			F F F
520	172	(359/573).CCLS.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	OFF	2004/08/03 09:29
			IBM_TDB			
521	155	(359/575). <i>CC</i> LS.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	OFF	2004/08/03 09:29
		•	IBM_TDB			
522	3362	((359/35).CCLS.) or ((359/1).CCLS.) or ((359/28).CCLS.) or ((359/29). CCLS.) or ((359/30).CCLS.) or ((359/558).CCLS.) or ((359/566).CCLS.) or ((359/569).CCLS.) or ((359/572).CCLS.) or ((359/573).CCLS.) or ((359/575).CCLS.)	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2005/01/10 14:52
			IBM_TDB			
523	528	(((359/35).CCLS.) or ((359/1).CCLS.) or ((359/28).CCLS.) or ((359/29). CCLS.) or ((359/30).CCLS.) or ((359/558).CCLS.) or ((359/566).CCLS.) or ((359/569).CCLS.) or ((359/572).CCLS.) or ((359/573).CCLS.) or ((359/575).CCLS.)) and (hologra\$ near4 (writ\$3 or record\$3 or stor\$3)) and diffract\$ and phase	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2004/08/03 15:48
			IBM_TDB			
524	4	((((359/35).CCLS.) or ((359/1).CCLS.) or ((359/28).CCLS.) or ((359/29). CCLS.) or ((359/30).CCLS.) or ((359/558).CCLS.) or ((359/566).CCLS.) or ((359/569).CCLS.) or ((359/572).CCLS.) or ((359/573).CCLS.) or ((359/575).CCLS.)) and (hologra\$ near4 (writ\$3 or record\$3 or stor\$3)) and diffract\$ and phase) and (grating with light with valve)	US-PGPUB; USPAT; EPO; JPO; DERWENT ;	OR	ON	2004/08/03 12:19
	_	· · · · · · · · · · · · · · · · · · ·	IBM_TDB			
S25	5	((((359/35).CCLS.) or ((359/1).CCLS.) or ((359/28).CCLS.) or ((359/29). CCLS.) or ((359/30).CCLS.) or ((359/558).CCLS.) or ((359/566).CCLS.) or ((359/569).CCLS.) or ((359/572).CCLS.) or ((359/573).CCLS.) or ((359/575).CCLS.)) and (hologra\$ near4 (writ\$3 or record\$3 or stor\$3)) and diffract\$ and phase) and ((grating with light with valve) or glv)	US-PGPUB; USPAT; EPO; JPO; DERWENT ;	OR	ON	2004/08/03
			IBM_TDB		<u></u>	

526	438	((((359/35).CCLS.) or ((359/1).CCLS.) or ((359/28).CCLS.) or ((359/29). CCLS.) or ((359/30).CCLS.) or ((359/558).CCLS.) or ((359/566).CCLS.) or ((359/569).CCLS.) or ((359/572).CCLS.) or ((359/573).CCLS.) or ((359/575).CCLS.)) and (hologra\$ near4 (writ\$3 or record\$3 or stor\$3)) and diffract\$ and phase) and ((pinhole or (pin near3 hole)) or aperture or	US-PGPUB: USPAT; EPO; JPO; DERWENT	OR	ON	2004/08/03 09:44
527	2	mask\$3 or block\$3 or slit) ("5986781").PN.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	OFF	2004/08/03 11:48
528	3	("3,744,871").PN.	IBM_TDB US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	OFF	2004/08/03 11:50
529	2	("3,941,450").PN.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	OFF	2004/08/03 11:50
530	65	(((359/35).CCLS.) or ((359/1).CCLS.) or ((359/28).CCLS.) or ((359/29). CCLS.) or ((359/30).CCLS.) or ((359/558).CCLS.) or ((359/566).CCLS.) or ((359/569).CCLS.) or ((359/572).CCLS.) or ((359/573).CCLS.) or ((359/575).CCLS.)) and (grating with light with valve)	IBM_TDB US-PGPUB; USPAT; EPO; JPO; DERWENT;	OR	ON	2004/08/03 12:20
531	66	(((359/35).CCLS.) or ((359/1).CCLS.) or ((359/28).CCLS.) or ((359/29). CCLS.) or ((359/30).CCLS.) or ((359/558).CCLS.) or ((359/566).CCLS.) or ((359/569).CCLS.) or ((359/572).CCLS.) or ((359/573).CCLS.) or ((359/575).CCLS.)) and ((grating with light with valve) or glv)	US-PGPUB; US-PGPUB; USPAT; EPO; JPO; DERWENT	OR .	ON	2004/08/03
532	9	((((359/35).CCLS.) or ((359/1).CCLS.) or ((359/28).CCLS.) or ((359/29). CCLS.) or ((359/30).CCLS.) or ((359/558).CCLS.) or ((359/566).CCLS.) or ((359/569).CCLS.) or ((359/572).CCLS.) or ((359/573).CCLS.) or ((359/575).CCLS.)) and ((grating with light with valve) or glv)) and hologra\$	IBM_TDB US-PGPUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	ОИ	2004/08/03 12:20
533	599	(((359/35).CCLS.) or ((359/1).CCLS.) or ((359/28).CCLS.) or ((359/29). CCLS.) or ((359/30).CCLS.) or ((359/558).CCLS.) or ((359/566).CCLS.) or ((359/569).CCLS.) or ((359/572).CCLS.) or ((359/573).CCLS.) or ((359/575).CCLS.)) and (hologra\$ near4 (writ\$3 or record\$3 or stor\$3)) and diffract\$ and ((pinhole or (pin near3 hole)) or aperture or mask\$3 or block\$3 or slit)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/08/03
534	134	((((359/35).CCLS.) or ((359/1).CCLS.) or ((359/28).CCLS.) or ((359/29). CCLS.) or ((359/30).CCLS.) or ((359/558).CCLS.) or ((359/566).CCLS.) or ((359/569).CCLS.) or ((359/572).CCLS.) or ((359/573).CCLS.) or ((359/575).CCLS.)) and (hologra\$ near4 (writ\$3 or record\$3 or stor\$3)) and diffract\$ and ((pinhole or (pin near3 hole)) or aperture or mask\$3 or block\$3 or slit)) and ((block\$3 or eliminat\$ or remov\$3) with order)	US-PGPUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2004/08/03 12:23
535		((((359/35).CCLS.) or ((359/1).CCLS.) or ((359/28).CCLS.) or ((359/29). CCLS.) or ((359/30).CCLS.) or ((359/558).CCLS.) or ((359/566).CCLS.) or ((359/569).CCLS.) or ((359/572).CCLS.) or ((359/573).CCLS.) or ((359/575).CCLS.)) and (hologra\$ near4 (writ\$3 or record\$3 or stor\$3)) and (diffract\$ near4 (grating or (optic\$4 with element))) and phase	US-PGPUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2004/08/03 14:08

	r		 			r
536	24	(hologra\$ near4 (writ\$3 or record\$3 or stor\$3)) and diffract\$ and phase and (grating with light with valve)	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2004/08/04 09:54
			IBM_TDB			
537	31	(hologra\$ near4 (writ\$3 or record\$3 or stor\$3)) and diffract\$ and phase and ((grating with light with valve) or glv)	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2004/08/03 15:55
			; IBM_TDB			
538	13	hologra\$ and laser and diffract\$ and phase and ((grating with light with valve) or glv) and ((block\$3 or eliminat\$ or remov\$3) with order)	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ОИ	2004/08/03 15:58
			IBM_TDB			
539	697	hologra\$ and laser and (diffract\$ near4 (grating or (optic\$4 with element))) and phase and ((block\$3 or eliminat\$ or remov\$3) with order) and reference and (object or signal)	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2004/08/03 16:53
		·	IBM_TDB			
540	19	(hologra\$ and laser and (diffract\$ near4 (grating or (optic\$4 with element))) and phase and ((block\$3 or eliminat\$ or remov\$3) with order) and reference and (object or signal)) and ribbon	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2004/08/03 16:54
			IBM_TDB			
541	199	hologra\$ and laser and (diffract\$ near4 (grating or (optic\$4 with element))) and (phase near5 control\$5) and ((block\$3 or eliminat\$ or remov\$3) with order) and reference and (object or signal)	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2004/08/03 16:54
			; IBM_TDB			
542	651	(hologra\$ and laser and (diffract\$ near4 (grating or (optic\$4 with element))) and phase and ((block\$3 or eliminat\$ or remov\$3) with order) and reference and (object or signal)) and ((pinhole or (pin near3 hole)) or aperture or mask\$3 or block\$3 or slit)	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2004/08/03 16:55
			: IBM_TDB			
543	194	(hologra\$ and laser and (diffract\$ near4 (grating or (optic\$4 with element))) and (phase near5 control\$5) and ((block\$3 or eliminat\$ or remov\$3) with order) and reference and (object or signal)) and ((pinhole or (pin near3 hole)) or aperture or mask\$3 or block\$3 or slit)	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2004/08/03 17:16
			; IBM_TDB			
544	86	hologra\$ and ((pinhole or (pin near3 hole)) or aperture or mask\$3 or block\$3 or slit) and ((grating near4 light near4 valve) or glv)	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2004/08/03 17:38
			; IBM_TDB			
545	81	((grating near4 light near4 valve) or glv) same ((object or signal) with (light or beam))	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2004/08/04 08:24
			; IBM_TDB			
547	5	((((359/35).CCLS.) or ((359/1).CCLS.) or ((359/28).CCLS.) or ((359/29). CCLS.) or ((359/30).CCLS.) or ((359/558).CCLS.) or ((359/566).CCLS.) or ((359/569).CCLS.) or ((359/572).CCLS.) or ((359/573).CCLS.) or ((359/575).CCLS.)) and (hologra\$ near4 (writ\$3 or record\$3 or stor\$3)) and diffract\$ and phase) and (grating with light with valve)	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2005/01/10 14:52
			IBM_TDB			

			Т		Ι_	I
548	6	((((359/35).CCLS.) or ((359/1).CCLS.) or ((359/28).CCLS.) or ((359/29). CCLS.) or ((359/30).CCLS.) or ((359/558).CCLS.) or ((359/566).CCLS.) or ((359/569).CCLS.) or ((359/572).CCLS.) or ((359/573).CCLS.) or ((359/575).CCLS.)) and (hologra\$ near4 (writ\$3 or record\$3 or stor\$3)) and diffract\$ and phase) and ((grating with light with valve) or glv)	US-PGPUB; USPAT; EPO; JPO; DERWENT ;	OR	ON	2005/01/10 14:52
			IBM_TDB			
549	457	CCLs.) or ((359/30).CCLs.) or ((359/558).CCLs.) or ((359/566).CCLs.) or ((359/569).CCLs.) or ((359/569).CCLs.) or ((359/573).CCLs.) or ((359/575).CCLs.)) and (hologra\$ near4 (writ\$3 or record\$3 or stor\$3)) and diffract\$ and phase) and ((pinhole or (pin near3 hole)) or aperture or	US-PGPUB; USPAT; EPO; JPO; DERWENT;	OR	ON	2005/01/10 15:43
ı		mask\$3 or block\$3 or slit)	IBW_TDB			
550	74	(((359/35).CCLS.) or ((359/1).CCLS.) or ((359/28).CCLS.) or ((359/29). CCLS.) or ((359/30).CCLS.) or ((359/558).CCLS.) or ((359/566).CCLS.) or ((359/569).CCLS.) or ((359/572).CCLS.) or ((359/573).CCLS.) or ((359/575).CCLS.)) and ((grating with light with valve) or glv)	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2005/01/10 14:53
			IBM_TDB			
551	10	(((((359/35).CCLS.) or ((359/1).CCLS.) or ((359/28).CCLS.) or ((359/29). CCLS.) or ((359/30).CCLS.) or ((359/558).CCLS.) or ((359/566).CCLS.) or ((359/569).CCLS.) or ((359/572).CCLS.) or ((359/573).CCLS.) or ((359/575).CCLS.)) and ((grating with light with valve) or glv)) and hologra\$	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2005/01/10 14:53
			IBM_TDB			
552	140	CCLS.) or ((359/30).CCLS.) or ((359/558).CCLS.) or ((359/566).CCLS.) or ((359/569).CCLS.) or ((359/569).CCLS.) or ((359/573).CCLS.) or ((359/575).CCLS.)) and (hologra\$ near4 (writ\$3 or record\$3 or stor\$3)) and diffract\$ and ((pinhole or (pin near3 hole)) or aperture or mask\$3 or	US-PGPUB; USPAT; EPO; JPO; DERWENT;	OR	ON	2005/01/10 14:53
		block\$3 or slit)) and ((block\$3 or eliminat\$ or remov\$3) with order)	IBW_TDB			
553	283	(((359/35).CCLS.) or ((359/1).CCLS.) or ((359/28).CCLS.) or ((359/29). CCLS.) or ((359/30).CCLS.) or ((359/558).CCLS.) or ((359/566).CCLS.) or ((359/569).CCLS.) or ((359/572).CCLS.) or ((359/573).CCLS.) or ((359/575).CCLS.)) and (hologra\$ near4 (writ\$3 or record\$3 or stor\$3)) and (diffract\$ near4 (grating or (optic\$4 with element))) and phase	US-PGPUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2005/01/10
554	16	(hologra\$ near4 (writ\$4 or record\$4 or stor\$4)) and ((diffract\$ with control5\$) or (grating with light with valve)) and ((mov\$4 or translat\$ or slid\$4) with direction)	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2005/01/10 17:10
			;			
			IBM_TDB			
555	198	(hologra\$ near4 (writ\$4 or record\$4 or stor\$4)) and ((diffract\$ with control5\$) or ((grating or diffract\$) with light with (valve or deflect\$))) and ((mov\$4 or translat\$ or slid\$4 or deflect\$) with direction)	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2005/01/10 16:32
	•		IBM_TDB			
556	169	(hologra\$ near4 (writ\$4 or record\$4 or stor\$4)) and ((diffract\$ with control5\$) or ((grating or diffract\$) with light with (valve or deflect\$))) and display and phase	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2005/01/10 16:54
			; IBM_TDB			
S57	58	S56 and (block\$4 with order)	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2005/01/10 16:33
			TRM TO			
558	16	(hologra\$ near4 (writ\$4 or record\$4 or stor\$4)) and ((diffract\$ with control5\$) or ((grating or diffract\$) with light with (valve or deflect\$))) and (reflect\$ with diffract\$ with display) and phase	US-PGPUB; US-PAT; EPO; JPO; DERWENT	OR	ON	2005/01/10 17:08
			: IBM_TDB			
		L		L	L	L

			 	· · ·		
559	4	(hologra\$ near4 (writ\$4 or record\$4 or stor\$4)) and ((reflect\$ with diffract\$ with display) same ((mov\$4 or translat\$ or slid\$4 or deflect\$) with direction)) and phase	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2005/01/10 16:52
			IBM_TDB			
560	13	(hologra\$ near4 (writ\$4 or record\$4 or stor\$4)) and ((reflect\$ with diffract\$ with display) same phase)	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2005/01/10 16:52
			: IBM_TDB			
561	0	(hologra\$ near4 (writ\$4 or record\$4 or stor\$4)) and (diffract\$ with control5\$ with element)	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2005/01/10 16:55
			IBM_TDB			
562	0	(hologra\$ near4 (writ\$4 or record\$4 or stor\$4)) and (diffract\$ with control5\$ with element)	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2005/01/10 16:55
			IBM_TDB			
563	277	(hologra\$ near4 (writ\$4 or record\$4 or stor\$4)) and ((diffract\$ with control\$5) or (grating with light with valve)) and ((mov\$4 or translat\$ or slid\$4) with direction)	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2005/01/10 16:57
			IBM_TDB			
564	186	S63 and display	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2005/01/10 16:57
			: IBM_TDB			
565	0	564 and phse	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2005/01/10 16:57
			: IBM_TDB			
566	118	564 and phase	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2005/01/10 16:57
		·	; IBM_TDB			
567	39	(hologra\$ near4 (writ\$4 or record\$4 or stor\$4)) and ((diffract\$ with control\$5) or ((grating or diffract\$) with light with (valve or deflect\$))) and (reflect\$ with diffract\$ with display) and phase	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2005/01/10 17:09
	:		: IBM_TDB			
568	11	(hologra\$ near4 (writ\$4 or record\$4 or stor\$4)) and ((grating with light with valve) or glv) and ribbon	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2005/01/10 17:10
			IBM_TDB			
569	5	((((359/35).CCLS.) or ((359/1).CCLS.) or ((359/28).CCLS.) or ((359/29). CCLS.) or ((359/30).CCLS.) or ((359/558).CCLS.) or ((359/566).CCLS.) or ((359/569).CCLS.) or ((359/572).CCLS.) or ((359/573).CCLS.) or ((359/575).CCLS.)) and (hologra\$ near4 (writ\$3 or record\$3 or stor\$3))	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2005/06/28
		and diffract\$ and phase) and (grating with light with valve)];			

570	6	((((359/35).CCLS.) or ((359/1).CCLS.) or ((359/28).CCLS.) or ((359/29). CCLS.) or ((359/30).CCLS.) or ((359/558).CCLS.) or ((359/566).CCLS.) or ((359/569).CCLS.) or ((359/572).CCLS.) or ((359/573).CCLS.) or ((359/575).CCLS.)) and (hologra\$ near4 (writ\$3 or record\$3 or stor\$3)) and diffract\$ and phase) and ((grating with light with valve) or glv)	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2005/06/28 10:50
			IBM_TDB			
571	80	(((359/35).CCLS.) or ((359/1).CCLS.) or ((359/28).CCLS.) or ((359/29). CCLS.) or ((359/30).CCLS.) or ((359/558).CCLS.) or ((359/566).CCLS.) or ((359/569).CCLS.) or ((359/572).CCLS.) or ((359/573).CCLS.) or ((359/575).CCLS.)) and ((grating with light with valve) or glv)	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2005/06/28 10:50
			; IBM_TDB			
572	11	((((359/35).CCLS.) or ((359/1).CCLS.) or ((359/28).CCLS.) or ((359/29). CCLS.) or ((359/30).CCLS.) or ((359/558).CCLS.) or ((359/566).CCLS.) or ((359/569).CCLS.) or ((359/572).CCLS.) or ((359/573).CCLS.) or ((359/575).CCLS.)) and ((grating with light with valve) or glv)) and hologra\$	US-PGPUB; USPAT; EPO; JPO; DERWENT ;	OR	ON	2005/06/28 10:50
			IBW_TDB			
573	143	((((359/35).CCLS.) or ((359/1).CCLS.) or ((359/28).CCLS.) or ((359/29). CCLS.) or ((359/30).CCLS.) or ((359/558).CCLS.) or ((359/566).CCLS.) or ((359/569).CCLS.) or ((359/572).CCLS.) or ((359/573).CCLS.) or ((359/575).CCLS.)) and (hologra\$ near4 (writ\$3 or record\$3 or stor\$3)) and diffract\$ and ((pinhole or (pin near3 hole)) or aperture or mask\$3 or block\$3 or slit)) and ((block\$3 or eliminat\$ or remov\$3) with order)	US-PGPUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2005/06/28 10:50
574	298	(((359/35).CCLS.) or ((359/1).CCLS.) or ((359/28).CCLS.) or ((359/29). CCLS.) or ((359/30).CCLS.) or ((359/558).CCLS.) or ((359/566).CCLS.) or ((359/569).CCLS.) or ((359/572).CCLS.) or ((359/573).CCLS.) or ((359/575).CCLS.)) and (hologra\$ near4 (writ\$3 or record\$3 or stor\$3)) and (diffract\$ near4 (grating or (optic\$4 with element))) and phase	US-PGPUB; USPAT; EPO; JPO; DERWENT ;	OR	ON	2005/06/28 10:50
675	470	///250/25\ ed c\ //250/4\ ed c\ //250/4\ ed c\ //250/2\ ed c\ //25	IBM_TDB			
S75	479	((((359/35).CCLS.) or ((359/1).CCLS.) or ((359/28).CCLS.) or ((359/29). CCLS.) or ((359/30).CCLS.) or ((359/558).CCLS.) or ((359/566).CCLS.) or ((359/569).CCLS.) or ((359/572).CCLS.) or ((359/573).CCLS.) or ((359/575).CCLS.)) and (hologra\$ near4 (writ\$3 or record\$3 or stor\$3)) and diffract\$ and phase) and ((pinhole or (pin near3 hole)) or aperture or	US-PGPUB; USPAT; EPO; JPO; DERWENT ;	OR	ON	2005/06/28
		mask\$3 or block\$3 or slit)	IBW_TDB			
5 76	17	(hologra\$ near4 (writ\$4 or record\$4 or stor\$4)) and ((diffract\$ with control5\$) or (grating with light with valve)) and ((mov\$4 or translat\$ or slid\$4) with direction)	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2005/06/28
			IBW_TDB			
577	211	(hologra\$ near4 (writ\$4 or record\$4 or stor\$4)) and ((diffract\$ with control5\$) or ((grating or diffract\$) with light with (valve or deflect\$))) and ((mov\$4 or translat\$ or slid\$4 or deflect\$) with direction)	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2005/06/28 12:41
			; IBM_TDB			
578	184	(hologra\$ near4 (writ\$4 or record\$4 or stor\$4)) and ((diffract\$ with control5\$) or ((grating or diffract\$) with light with (valve or deflect\$))) and display and phase	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR .	ON	2005/06/28 12:26
			: IBM_TDB			
579	298	(hologra\$ near4 (writ\$4 or record\$4 or stor\$4)) and ((diffract\$ with control5\$) or ((grating or diffract\$) with light with (valve or deflect\$)) or glv) and object and reference	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2005/06/28 14:37
		•	: IBM_TDB			
580	64	(hologra\$ near4 (writ\$4 or record\$4 or stor\$4)) and ((diffract\$ with control5\$) or ((grating or diffract\$) with light with (valve or deflect\$)) or glv) and (order near5 block\$4)	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2005/06/28 14:41
			IBM_TDB			
		1/27/04 1:14:51 DM D O				

581	350	(hologra\$ near4 (writ\$4 or record\$4 or stor\$4)) and (((grating or diffract\$) near5 (valve or deflect\$)) or glv)	US-PGPUB; USPAT; EPO; JPO; DERWENT ;	OR	ON	2005/06/28 14:46
582	6	((((359/35).CCLS.) or ((359/1).CCLS.) or ((359/28).CCLS.) or ((359/29). CCLS.) or ((359/30).CCLS.) or ((359/558).CCLS.) or ((359/566).CCLS.) or ((359/569).CCLS.) or ((359/572).CCLS.) or ((359/573).CCLS.) or ((359/575).CCLS.)) and (hologra\$ near4 (writ\$3 or record\$3 or stor\$3)) and diffract\$ and phase) and (grating with light with valve)	IBM_TDB US-PGPUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2006/01/26 20:19
583	7	((((359/35).CCLS.) or ((359/1).CCLS.) or ((359/28).CCLS.) or ((359/29). CCLS.) or ((359/30).CCLS.) or ((359/558).CCLS.) or ((359/566).CCLS.) or ((359/569).CCLS.) or ((359/572).CCLS.) or ((359/573).CCLS.) or ((359/575).CCLS.)) and (hologra\$ near4 (writ\$3 or record\$3 or stor\$3)) and diffract\$ and phase) and ((grating with light with valve) or glv)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/26 20:19
584	92	(((359/35).CCLS.) or ((359/1).CCLS.) or ((359/28).CCLS.) or ((359/29). CCLS.) or ((359/30).CCLS.) or ((359/558).CCLS.) or ((359/566).CCLS.) or ((359/569).CCLS.) or ((359/572).CCLS.) or ((359/573).CCLS.) or ((359/575).CCLS.)) and ((grating with light with valve) or glv)	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2006/01/26 20:19
585	12	((((359/35).CCLS.) or ((359/1).CCLS.) or ((359/28).CCLS.) or ((359/29). CCLS.) or ((359/30).CCLS.) or ((359/558).CCLS.) or ((359/566).CCLS.) or ((359/569).CCLS.) or ((359/572).CCLS.) or ((359/573).CCLS.) or ((359/575).CCLS.)) and ((grating with light with valve) or glv)) and hologra\$	US-PGPUB; US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2006/01/26 20:19
586	153	((((359/35).CCLS.) or ((359/1).CCLS.) or ((359/28).CCLS.) or ((359/29). CCLS.) or ((359/30).CCLS.) or ((359/558).CCLS.) or ((359/566).CCLS.) or ((359/569).CCLS.) or ((359/572).CCLS.) or ((359/573).CCLS.) or ((359/575).CCLS.)) and (hologra\$ near4 (writ\$3 or record\$3 or stor\$3)) and diffract\$ and ((pinhole or (pin near3 hole)) or aperture or mask\$3 or block\$3 or slit)) and ((block\$3 or eliminat\$ or remov\$3) with order)	IBM_TDB US-PGPUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2006/01/26 20:19
587	321	(((359/35).CCLS.) or ((359/1).CCLS.) or ((359/28).CCLS.) or ((359/29). CCLS.) or ((359/30).CCLS.) or ((359/558).CCLS.) or ((359/566).CCLS.) or ((359/569).CCLS.) or ((359/572).CCLS.) or ((359/573).CCLS.) or ((359/575).CCLS.)) and (hologra\$ near4 (writ\$3 or record\$3 or stor\$3)) and (diffract\$ near4 (grating or (optic\$4 with element))) and phase	US-PGPUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2006/01/26 20:19
588	502	((((359/35).CCLS.) or ((359/1).CCLS.) or ((359/28).CCLS.) or ((359/29). CCLS.) or ((359/30).CCLS.) or ((359/558).CCLS.) or ((359/566).CCLS.) or ((359/569).CCLS.) or ((359/572).CCLS.) or ((359/573).CCLS.) or ((359/575).CCLS.)) and (hologra\$ near4 (writ\$3 or record\$3 or stor\$3)) and diffract\$ and phase) and ((pinhole or (pin near3 hole)) or aperture or mask\$3 or block\$3 or slit)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/26 20:44